

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Viggnia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DAT	ГЕ	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/704,102	1,102 11/01/2000		Stuart Courtney	ETK/226	3429
26875	7590 09/	/30/2003			
WOOD, HE	RRON & EVA	EXAMINER			
2700 CAREV 441 VINE ST	REET		SAINT SURIN, JACQUES M		
CINCINNATI, OH 45202				ART UNIT	PAPER NUMBER
				2856	
				DATE MAILED: 09/30/2003	DATE MAILED: 09/30/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

		/					
	Application No.	Applicant(s)					
	09/704,102	COURTNEY ET AL.					
Office Action Summary	Examiner	Art Unit					
	Jacques M Saint-Surin	2856					
Th MAILING DATE of this communication app ars on the cover shet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute,  - Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).  Status	36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).					
1) Responsive to communication(s) filed on 14 J	<u>luly 2003</u> .						
2a)⊠ This action is <b>FINAL</b> . 2b)□ Th	is action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4) Claim(s) 1-24 is/are pending in the application	· · · · · · · · · · · · · · · · · · ·						
<u> </u>	4a) Of the above claim(s) is/are withdrawn from consideration.						
	Claim(s) is/are allowed.						
<u> </u>	Claim(s) <u>1-24</u> is/are rejected.						
7) Claim(s) is/are objected to.  8) Claim(s) are subject to restriction and/or election requirement.							
Application Papers	. Closton roquiromont						
9) The specification is objected to by the Examine	r.						
10)☐ The drawing(s) filed on is/are: a)☐ accep	oted or b) objected to by the Exa	miner.					
Applicant may not request that any objection to the							
11)☐ The proposed drawing correction filed on	_is: a)□ approved b)□ disappro	oved by the Examiner.					
If approved, corrected drawings are required in reply to this Office action.							
12)☐ The oath or declaration is objected to by the Ex	aminer.						
Priority under 35 U.S.C. §§ 119 and 120							
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) ☐ All b) ☐ Some * c) ☐ None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
<ul> <li>3. Copies of the certified copies of the prior</li> <li>application from the International Bu</li> <li>See the attached detailed Office action for a list</li> </ul>	reau (PCT Rule 17.2(a)).						
14)☐ Acknowledgment is made of a claim for domesti	c priority under 35 U.S.C. § 119(	e) (to a provisional application).					
<ul> <li>a)  The translation of the foreign language pro</li> <li>15) Acknowledgment is made of a claim for domest</li> </ul>							
Attachment(s)							
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Informal	y (PTO-413) Paper No(s) Patent Application (PTO-152)					
S. Patent and Trademark Office							

Application/Control Number: 09/704,102 Page 2

Art Unit: 2856

#### **DETAILED ACTION**

1. This Office action is responsive to the amendment of 07/14/03.

2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

## Claim Rejections - 35 USC § 103

3. Claims 1-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Piety et al (US Patent 6,078,874) in view of Van Voorhis (US Patent 5,059,901).

Regarding claims 1 and 13, Piety et al. ('874) discloses:

- a data collector (machine data collection 10, see: Fig. 1), comprising:
- a housing (hand-held sensor unit 30 includes a housing, see: Figs 1-2, col. 2, line 41;

a vibration signal input on said housing (sensory contact between the sensor unit 40 and machine 12 may be established by placing the sensor unit 40 in physical contact with a desired measurement point as shown in Fig. 1 in order to sense a machine 12 operating characteristic such as vibration, see: col. 4, lines 55-60);

a digital signal processing circuit (microprocessor 70 of Fig. 3) connected to said analog to digital converter (A/D converter 110, see: Fig. 3, col. 6, line 1) within said housing (hand-held sensor unit 40) connected to said vibration signal input, converting a vibration signal received at said vibration signal input to a digitized vibration signal, vibration signal and/or said digital signal (after the requested data has been collected, the tachometer signal and/or vibration signal [or data derived by the sensor unit 40 from the two signals] is downloaded to the HPC 32 and stored in the memory, see: col. 9,

Art Unit: 2856

lines 43-47) for the purpose of predictive maintenance. Furthermore Piety teaches for example, a sensor unit 40 having both a vibration sensor and a tachometer, the HPC 32 may prompt the sensor unit 40 to collect both types of machine operating characteristics and after the requested data has been collected, the tachometer signal and/or vibration signal (or data derived by the sensor unit 40 from the two signals) is downloaded to the HPC 32 and stored in memory, see: col. 9, lines 23-27 and 38-47). Note that the HPC 32 of Piety is able of receiving, storing or processing both signals simultaneously.

Although Piety et al. ('874) discloses sensor unit 40 having both a vibration sensor and a tachometer, the HPC 32 may prompt the sensor unit to collect both types of machine operating characteristics, it does not specifically disclose or suggest an optical system within said housing and a receiver circuit converting said received light to a digital signal. Van Voorhis further discloses a laser light diode 11 which emits light, see: col. 4, line 6 and also col. 6, line 1 disclose when the laser tachometer 10 is operated, laser diode 11, energized by appropriate electrical voltage obtained from diode driver produces a high intensity beam 14 of coherent light. Voorhis further teaches a focusing lens/PIN photodiode assembly which senses light reflected back into the optical housing from a reflective target and converts it into an electrical signal and an electronic signal conditioning circuit for processing the output signal from the photodiode to provide electrical pulses for use by vibration monitoring, see: col. 3, lines 9-30. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the data collector of Piety et al. in order to employ the techniques of Van Voorhis because it would be have been obvious to one of ordinary

Art Unit: 2856

skill in the art utilizing the above combination to be motivated to recognize that by substituting the tachometer of Piety for the laser light tachometer of Van Voorhis, one would be able to realize a data collector having a vibration sensor and an optical sensor capable of receiving vibration and light signals for the purpose of performing simultaneously reception, storage or processing of both signals in real time in a reliable and efficient manner.

Regarding claim 13, it is a method claim that performs the steps of the apparatus of claim 1. Therefore, it is rejected for the reasons set forth above.

Regarding claims 10 and 22, Piety ('874) in view of Van Voorhis discloses a storage device (base instrument 32 which is a microprocessor including memory (volatile and non-volatile), see: col. 5, lines 14-15 of Piety..

Regarding claims 12 and 24, Piety ('874) in view of Van Voorhis discloses hand held sensor unit 40 includes a housing dimensioned and configured for being hand-held by the operator, see: col. 2, lines 41-42 of Piety.

Regarding claims 2-3 and 14-15, Piety et al. ('874) in view of Van Voorhis discloses sensor unit 40 having both a vibration sensor and a tachometer which meets the limitations of optical system. Furthermore, as discussed above, VanVoorhis discloses a laser diode 11 that produces a high intensity beam 14 of coherent light. One of ordinary skill in the art would have readily recognize the advantages and desirability to provide a laser light diode in order to provide a high intensity beam of coherent light for achieving better results.

Art Unit: 2856

Regarding claims 4-5 and 16-17, Piety et al. ('874) does not disclose a laser diode and a colliminating lens. Van Voorhis discloses a laser diode 11 and a collimating lens 15, (see: col. 4, lines 12-13 of Van Voorhis). As per claim 5, Piety in view of Voorhis discloses a light detector (photodiode 23) and a beam splitter 19, see: col. 4, lines 7 and 1. One of ordinary skill in the art would have readily recognize the advantages and desirability to provide a laser diode for generating light and a colliminating lens in order to intercept and focuses a diverging beam for the purpose of collecting accurate information for obtaining reliable results.

Regarding claims 6-7 and 18-19, Piety does not disclose a receiver copmprising a pin photodiode. Van Voorhis discloses a PIN photodiode 23 for converting received light to an electrical signal, see: col. 4, lines 7-8. As per claim 7, Van Voorhis discloses signal conditioning circuit 35 of device 10 that comprises a threshold comparator, see: col. 3, lines 64-66. One of ordinary skill in the art would have readily recognize the advantages and desirability to provide pin photodiode in order to receive reliable information for obtaining better results.

Regarding claims 8 and 20, Piety ('874) does not disclose a laser light tachometer. Van Voorhis ('901) discloses a laser light tachometer for measuring the rotational speed of a selected rotating body, (see: abstract of Van Voorhis). One of ordinary skill in the art would have readily recognize the advantages and desirability to provide a laser light tachometer in order to collect accurate information for obtaining a better measurement.

Art Unit: 2856

Regarding claims 9 and 21, Piety ('874) in view of Van Voorhis ('901) discloses a dichroic filter 28, see: col. 4, line 14 of Van Voorhis).

Regarding claims 11 and 23, Piety ('874) in view of Van Voorhis ('901) discloses microcomputer 60 that includes display 122, input keys 126, see: Fig. 1 of Piety.

## Response to Arguments

4. Applicant's arguments filed 07/14/03 have been fully considered but they are not persuasive.

In response to Applicant's arguments that "the data collector is an integrated device with analog and digital signal processing and an optical system". The Examiner agrees with Applicant's arguments that the claims recite a common housing, however, the term "integral" does not require a unitary one-piece structure. In re Kohno, 391 F.2d 959, 157 USPQ 275 (CCPA 1968); In re Larson, 340 F.2d 965, 144 USPQ 347 (CCPA 1965).

#### Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the

Art Unit: 2856

shortened statutory period will expire on the date the advisory action is mailed, and any

Page 7

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later

than SIX MONTHS from the date of this final action.

6. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Jacques M Saint-Surin whose telephone number is

(703) 308-3698. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Hezron Williams can be reached on (703) 305-4705. The fax phone

numbers for the organization where this application or proceeding is assigned are (703)

308-7722 for regular communications and (703) 308-7724 for After Final

communications.

Any inquiry of a general nature or relating to the status of this application or

proceeding should be directed to the receptionist whose telephone number is (703) 308

0956.

Megin E. Well-HEZRON WILLIAMS

SUPERVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2800

Jacques M. Saint-Surin September 23, 2003